



### 2017 Request for Access to Multi-Institutional Trials Data Collection Tool Collection Site

The Multi-Institutional Trials Committee is accepting proposals for new multi-center studies and soliciting participation for recently approved studies. Each study is headed by one Coordinating Center, which is primarily responsible for designing the protocol and data collection sheets. After appropriate input and revisions, the studies are posted on the AAST-MIT webpage and interested centers may participate.

Each study has a data collection sheet and study protocol on the AAST website. Direct communication with the study PI prior to participating in the study is strongly encouraged. The AAST-MIT committee is looking forward to your enthusiastic support and participation in these and future studies.

# If you would like access to enter data for a study, please complete the form(s) below.

## **KEYWORDS:**

**STUDY PI:** This is the primary investigator of the study. The Study PI can see ALL data entered for a given study and can pull full reports across all sites/ institutions. There is only one study PI.

**SITE PI:** This is the primary investigator for a given site/institution. The site PI can see ALL the data entered for a given site/institution and can pull reports for that site/institution.

# **NOTE:** *Please make sure to confirm with your Site PI how the name of your hospital/institution should be listed on the form. The slightest difference can affect the data reports.*

If you have questions or would like more information on the AAST Multi-Institutional Trials Data Collection Tool, please contact Jermica Smith at jsmith@aast.org or visit our website at: www.aast.org

#### American Association for the Surgery of Trauma



	ADDITION AND A DECEMBER OF
	2017 <u>Site PI Request</u> for Access to Multi-Institutional Trials Data Collection Site
	PLEASE TYPE OR PRINT CLEARLY ILLEGIBLE FORMS WILL NOT BE PROCESSED.
	Site PI access will be granted with in 5 business days. General data tool access is granted with in 48 business hours of Site PI approval.
Inst	titution/Hospital:
Ful	l Name: Email:
Ado	ditional Access Request:
Ful	l Name: Email:
Ful	I Name: Email:
	I Name: Email:
Sele	ect study below (If you are requesting access to more than one study please <u>compete a form for each study):</u>
X	OPEN STUDIES
	#29 Implementing the brain injury guidelines: Defining the management of traumatic brain injury by acute care surgeons
	#28 Prospective observational multi-center analysis of pre-hospital tourniquet use in extremity injury
	#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest
	#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis & Soft Tissue Infections
	#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury
	#21 Posterior Urethral Injury
	#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy
	#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators
	#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers
	#16 Can the cervical spine be clinically cleared in awake and alert blunt trauma patients with "distracting injuries"?
	#15 A Multi-center Study of Renal and Bladder Trauma
	#10 AAST Multicenter Prospective Observational Study of Trauma Patients on Novel Oral Anticoagulants
	#9 Aortic Occlusion for Resuscitation in Trauma and Acute Care Surgery
	#8 The PROspective Observational Vascular Injury Trial (PROOVIT)
	#7 Detection and Management of Non-Compressible Hemorrhage by Vena Cava Ultrasonography
	#3 Delayed Splenic Rupture After Non-Operative Management of Blunt Splenic Injury

### PLEASE EMAIL YOUR COMPLETED FORM TO: aast@aast.org

Site PI access is usually granted with in 5 business days. General data tool access is granted with in 48 business hours of Site PI approval. If you have any questions or need additional assistance, please contact: Jermica Smith, AAST Program Manager at jsmith@aast.org or (312) 202-5553

	American Association for the Surgery of Trauma	
	2017 <u>General Request</u> for Access to Multi-Institutional Trials Data Collection Site	
	PLEASE TYPE OR PRINT CLEARLY ILLEGIBLE FORMS WILL NOT BE PROCESSED. General data tool access is granted with in 48 business hours of Site PI approval.	
Inst	titution/Hospital:	
	I Name: Email:	
Who is Your Site PI?:		
Site	PI Full Name: Email:	
Add	ditional Access Request:	
Full	l Name: Email:	
Full	I Name: Email	
Select study below (If you are requesting access to more than one study please <u>compete a form for each study</u> ):		
X	OPEN STUDIES	
	#29 Implementing the brain injury guidelines: Defining the management of traumatic brain injury by acute care surgeons	
	#28 Prospective observational multi-center analysis of pre-hospital tourniquet use in extremity injury	
	<ul><li>#28 Prospective observational multi-center analysis of pre-hospital tourniquet use in extremity injury</li><li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li></ul>	
	#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers</li> <li>#16 Can the cervical spine be clinically cleared in awake and alert blunt trauma patients with "distracting injuries"?</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers</li> <li>#16 Can the cervical spine be clinically cleared in awake and alert blunt trauma patients with "distracting injuries"?</li> <li>#15 A Multi-center Study of Renal and Bladder Trauma</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers</li> <li>#16 Can the cervical spine be clinically cleared in awake and alert blunt trauma patients with "distracting injuries"?</li> <li>#15 A Multi-center Study of Renal and Bladder Trauma</li> <li>#10 AAST Multicenter Prospective Observational Study of Trauma Patients on Novel Oral Anticoagulants</li> </ul>	
	<ul> <li>#26 Use of Targeted Temperature Management in Hanging-Induced Cardiac Arrest</li> <li>#25 Validating a Uniform System for Measuring Disease Severity in Necrotizing Fasciitis &amp; Soft Tissue Infections</li> <li>#22 Aortic Trauma Foundation Blunt Thoracic Aortic Injury</li> <li>#21 Posterior Urethral Injury</li> <li>#20 Continuity vs Discontinuity for Bowel Injury in Damage Control Laparotomy</li> <li>#18 Assessment of Emergency General Surgery Care Based Upon Quality Indicators</li> <li>#17 AAST multi-center prospective, observational study on immune dysfunction in subjects who present with traumatic brain injury and receive beta adrenergic receptor blockers</li> <li>#16 Can the cervical spine be clinically cleared in awake and alert blunt trauma patients with "distracting injuries"?</li> <li>#15 A Multi-center Prospective Observational Study of Trauma Patients on Novel Oral Anticoagulants</li> <li>#9 Aortic Occlusion for Resuscitation in Trauma and Acute Care Surgery</li> </ul>	

### PLEASE EMAIL YOUR COMPLETED FORM TO: aast@aast.org

General data tool access is granted with in 48 business hours of Site PI approval. Site PI access is usually granted with in 5 business days If you have any questions or need additional assistance, please contact: Jermica Smith, AAST Program Manager at jsmith@aast.org or (312) 202-5553